

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description**YMCA-KNOWLES GRADE CAMPS SUMMER FOOD PROGRAM****424 STADIUM BLVD****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE 06/21/16

INSPECTION

0

No Violations Cited

SONIC DRIVE IN--ELM**1711 E ELM ST****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE 06/08/16

INSPECTION

OBSERVED: the frame and access under the fryers has grease accumulations present

NON-CRITICAL

OBSERVED: dessert fountain container lids have excess toppings present and caked on

OBSERVED: drive by hand sink lacks disposable paper towels present

NON-CRITICAL

OBSERVED: drive by hand sink lacks hand soap present

NON-CRITICAL

BEE LINE SNACK SHOPS**2205 SOUTHRIDGE DR****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 06/28/16

INSPECTION

OBSERVED: Soda fountain had splatter debris present

NON-CRITICAL

OBSERVED: Cappuccino machines had debris present

OBSERVED: Fan covers in the walk in cooler had dust accumulation

OBSERVED: Drinks on the floor in the storage closet. Elevate drinks.

NON-CRITICAL

BURGER KING #2271**2207 MISSOURI BLVD****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 06/14/16

INSPECTION

0

No Violations Cited

CAPTAIN D'S SEAFOOD**2118 MISSOURI BLVD****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 06/08/16

INSPECTION

OBSERVED: Two of the microwaves had debris present

NON-CRITICAL

OBSERVED: McCall refrigerator had batter debris present

OBSERVED: Items on the make table or in the make cooler were not 41 F or less.

CRITICAL

OBSERVED: Items in the Delfield cooler were not 41F or less

OBSERVED: Floor in the walk in freezer had debris present.

NON-CRITICAL

Occurred

Description

Status

FOLLOW-UP 06/14/16

INSPECTION

0

No Violations Cited

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

CHILI'S GRILL & BAR
3515 MISSOURI BLVD
JEFFERSON CITY, MO 65109

Occurred

Description

Status

ROUTINE 06/01/16
 INSPECTION

OBSERVED: Floor tiles in front of the fryers are broken and in disrepair.

NON-CRITICAL

CHIPOTLE MEXICAN GRILL
1400 MISSOURI BLVD
JEFFERSON CITY, MO 65109

Occurred

Description

Status

ROUTINE 06/23/16
 INSPECTION

OBSERVED: Seals on the front cooler are torn.

NON-CRITICAL

CONVENIENT FOOD MART
3714 W TRUMAN BLVD
JEFFERSON CITY, MO 65109

Occurred

Description

Status

ROUTINE 06/10/16
 INSPECTION

OBSERVED: No covered trash can in the unisex bathroom.

NON-CRITICAL

OBSERVED: Loose food inside the upright freezer

NON-CRITICAL

OBSERVED: Food debris present inside the upright freezer

OBSERVED: Food debris present in the bottom of the dipping cabinet

OBSERVED: Cappuccino machine has debris present

OBSERVED: Two of the three lights in the walk in cooler are burnt out.

NON-CRITICAL

OBSERVED: Seal is torn on the Master Bilt cooler

NON-CRITICAL

DAISY DELIGHT
2715 E MCCARTY ST
JEFFERSON CITY, MO 65101

Occurred

Description

Status

ROUTINE 06/28/16
 INSPECTION
 0

No Violations Cited

CAPITOL PLAZA HOTEL / FOUNTAIN COURT LOUNGE
415 W MCCARTY ST
JEFFERSON CITY, MO 65101

Occurred

Description

Status

ROUTINE 06/28/16
 INSPECTION

OBSERVED: dish machine wash tank at 138 F not required 150 F, however test strip did test adequately for final rinse temp

NON-CRITICAL

OBSERVED: grout worn away from floor tile at dish machine dirty side, re-grout

NON-CRITICAL

OBSERVED: kitchen triple sink spray hose handle is homemade from dish rag and electrical tape [replace commercial]

NON-CRITICAL

OBSERVED: detail cleaning of dust and wraps from walk in cooler fans and condenser needed; also detail clean the smaller roll out racks found between the walk in cooler shelving

NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		<u>Description</u>	
GERBES #118 SUPERSTORE--GROCERY 2101 SCHOTTHILL WOODS DR JEFFERSON CITY, MO 65101			
	Occurred	Description	Status
ROUTINE	06/07/16		
INSPECTION			
0		No Violations Cited	
HYVEE GAS #1303 3723 W TRUMAN BLVD JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/03/16		
INSPECTION			
0		No Violations Cited	
IMO'S PIZZA 706 MISSOURI BLVD STE D JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/06/16		
INSPECTION			
		OBSERVED: Vent hood over pizza oven has debris present	NON-CRITICAL
JEFFERSON CITY HEALTH FOOD 1406 MISSOURI BLVD STE A JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/08/16		
INSPECTION			
		OBSERVED: thermometer not present in cafe refrigerator for monitoring temperatures.	NON-CRITICAL
JIMMY JOHNS GOURMET SANDWICHES 3750 W TRUMAN BLVD JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/07/16		
INSPECTION			
0		No Violations Cited	
MCALISTER'S DELI 2323 MISSOURI BLVD JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/13/16		
INSPECTION			
0		No Violations Cited	
MCDONALD'S 3124 S TEN MILE DR JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/01/16		
INSPECTION			
0		No Violations Cited	

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

MCDONALD'S
815 EASTLAND DR
JEFFERSON CITY, MO 65101

Description

ROUTINE
 INSPECTION

Occurred
 06/10/16

Description	Status
OBSERVED: line assembly table running above 41 F at 57 F, no food was being stored below; top foods held with 2 hour max hold time during service	NON-CRITICAL
OBSERVED: drive thru creamery running above 41 F at 52 F, cream pouch was discarded while on site, unit to be defrosted and repaired before being put back into service	
OBSERVED: some missing/ damaged wall tiles present on way to storeroom	NON-CRITICAL
OBSERVED: open ceiling present above work line, missing tile/ grate	
OBSERVED: shake machine has faulty o-ring present in handle causing pooled mix deposits near handle and hard to clean areas	NON-CRITICAL

MI PUEBLO BAKERY & TAQUERIA
510 ELLIS BLVD STE F
JEFFERSON CITY, MO 65101

ROUTINE
 INSPECTION

Occurred
 06/28/16

Description	Status
OBSERVED: basement as well as stairway to basement is cluttered with used equipment, toys, etc that interferes with proper egress and food storage	NON-CRITICAL
OBSERVED: personal medicines and vitamins, etc, stored mixed with food on shelving; also some cleaners stored above food containers too	CRITICAL
OBSERVED: meat slicer observed with dried meat deposits; small mixer observed with dairy deposits presents	CRITICAL
OBSERVED: food debris and grease on floor under ovens and behind fryers; some walls have food debris present as well	NON-CRITICAL
OBSERVED: wall by slicer is rough textured and not smooth, easily cleanable	NON-CRITICAL
OBSERVED: bare hand contact with ready-to-eat foods during vegetable chopping [lettuce, onions, etc] as well as during taco and other food preparation	CRITICAL

O'DONOGHUE'S STEAKS & SEAFOOD LLC
900 E HIGH ST X
JEFFERSON CITY, MO 65101

ROUTINE
 INSPECTION

Occurred
 06/07/16

Description	Status
OBSERVED: broken glass present on bottom of bar freezer.	NON-CRITICAL
OBSERVED: cobb webbs/dust present on ceiling by kitchen windows.	NON-CRITICAL
OBSERVED: cobb webbs present in joist in food storage room downstairs.	
OBSERVED: dust/debris present on liquor shelving and wall around food storage in downstairs storeroom	
OBSERVED: food debris present around base coving under dish washer/upright freezer.	

PIZZA HUT
1431 CHRISTY DR
JEFFERSON CITY, MO 65101

ROUTINE
 INSPECTION

Occurred
 06/15/16

Description	Status
OBSERVED: Counter around salad bar has an area that is chipped and cracked.	NON-CRITICAL
OBSERVED: Shelves in walk in cooler have dust accumulation present	NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

PIZZA KWIK
1121 E MILLER ST
JEFFERSON CITY, MO 65101

ROUTINE
 INSPECTION

Occurred

06/14/16

Description

Description

Status

OBSERVED: large dough mixer inside restaurant is non-functional due to broken piece, using smaller mixer on porch but needs to be moved inside to control possible contamination there

NON-CRITICAL

OBSERVED: hot and cold water to hand wash sink turned off due to leaking gaskets, repair ASAP

NON-CRITICAL

OBSERVED: foods stored in True 2 slide door reach in cooler above 41 F, most at 45 F to 50 F [unit is icing over and needs service]

CRITICAL

OBSERVED: beverage 3 door cooler running above 45 F

NON-CRITICAL

OBSERVED: make table interior reading above 41 F at 45 F

OBSERVED: food storage 2 door reach in cooler running above 45 F, icing over in fans

Description

Status

FOLLOW-UP
 INSPECTION

Occurred

06/21/16

OBSERVED: make table interior still not adjusted below 45 F to 41 F

NON-CRITICAL

OBSERVED: large dough mixer still needs repairs to be functional

NON-CRITICAL

SONIC DRIVE-IN--COMMERCE
201 COMMERCE DR
JEFFERSON CITY, MO 65109

ROUTINE
 INSPECTION
 0

Occurred

06/08/16

Description

Status

No Violations Cited

TACO BELL #377
1905 SOUTHWEST BLVD
JEFFERSON CITY, MO 65109

ROUTINE
 INSPECTION

Occurred

06/13/16

Description

Status

OBSERVED: soda box cabinets are split and need replacement; chemical cleaner cabinet front inside is delaminating and needs recovering of front edge; drive by soda machine ice dispenser is cracked and must be replaced; ceiling tile near drive by soda machine has come loose and is starting to fall out of grid

NON-CRITICAL

OBSERVED: ceiling vents have some dust accumulations present; utility chase near drive by line has dust accumulations present; wall panels above chip cabinet and above fryers have some dust accumulations present

NON-CRITICAL

BOYS AND GIRLS CLUB OF THE CAPITAL CITY SUMMER FOOD PROGRAM
819 CHESTNUT ST
JEFFERSON CITY, MO 65101

ROUTINE
 INSPECTION
 0

Occurred

06/24/16

Description

Status

No Violations Cited

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
DOROTHY PACK TEEN CENTER SUMMER FEEDING SITE			
1306 EDMONDS ST			
JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/22/16		
INSPECTION		Food-contact surfaces cleaned & sanitized	
SONIC DRIVE IN--ELLIS			
314 ELLIS BLVD			
JEFFERSON CITY, MO 65101			
	Occurred	Description	Status
ROUTINE	06/27/16		
INSPECTION		OBSERVED: Soda Machine had splatter present	NON-CRITICAL
		OBSERVED: Shake Machine had debris present	
		OBSERVED: Wall by ice cream machine had syrup debris present	
		OBSERVED: Beverage Air Cooler had debris on the bottom of cooler	
		OBSERVED: Make cooler had debris on the bottom	
MCDONALDS			
724 W STADIUM BLVD			
JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/22/16		
INSPECTION		OBSERVED: Seal is broken and torn.	NON-CRITICAL
		OBSERVED: Creamer machine had liquid creamer splatter present	NON-CRITICAL
APPLE TREE ACADEMY FOODSERVICE			
2810 E MCCARTY ST			
JEFFERSON CITY, MO 65101			
	Occurred	Description	Status
ROUTINE	06/15/16		
INSPECTION		No Violations Cited	
0			
JEFFERSON CITY COUNTRY CLUB			
516 S COUNTRY CLUB DR			
JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/16/16		
INSPECTION		No Violations Cited	
0			
JEFFERSON CITY COUNTRY CLUB-THE GRILL			
516 S COUNTRY CLUB DR			
JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/16/16		
INSPECTION		OBSERVED: commercial dishwasher not reaching correct sanitizing temperature.	CRITICAL
HYVEE FOOD STORE-PRODUCE			
3721 W TRUMAN BLVD			
JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/16/16		
INSPECTION		No Violations Cited	
0			
JEFFERSON CITY AREA YMCA CHILD DEVELOPMENT CENTER			
603 ELLIS BLVD			
JEFFERSON CITY, MO 65101			
	Occurred	Description	Status
FOLLOW-UP	06/27/16		
INSPECTION		No Violations Cited	
0			

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
EAGLE LIQUOR AND CONVENIENCE STORE			
1408 MISSOURI BLVD			
JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/15/16		
INSPECTION			
		OBSERVED: BBQ grill without screened in enclosure being used for food preparation in back outdoor area of food establishment.	NON-CRITICAL
		OBSERVED: disposable paper towels not present at kitchen hand sink or bathroom hand sink.	NON-CRITICAL
		OBSERVED: grease present on stove surfaces.	NON-CRITICAL
		OBSERVED: ceiling tiles above cooking equipment not clean.	NON-CRITICAL

LITTLE WONDERS EARLY LEARNING CENTER			
925 S COUNTRY CLUB DR STE E			
JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/29/16		
INSPECTION			
		OBSERVED: Infants Kenmore combo cooler running above 41 F, at 44/48 F	NON-CRITICAL
	Occurred	Description	Status
FOLLOW-UP	06/30/16		
INSPECTION			
0		No Violations Cited	

CAPITAL 8 THEATERS CONCESSIONS			
3550 COUNTRY CLUB DR			
JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/10/16		
INSPECTION			
0		No Violations Cited	

YMCA--FIRLEY SPORTS SUMMER FOOD PROGRAM			
525 ELLIS BLVD			
JEFFERSON CITY, MO 65101			
	Occurred	Description	Status
ROUTINE	06/21/16		
INSPECTION			
		OBSERVED: Sleeves of plates, napkins, flatware stored on floor.	
		COS: Sleeves moved off floor to raised location.	

UNILEVER CORPORATION CAFETERIA			
2900 W TRUMAN BLVD			
JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	06/07/16		
INSPECTION			
		OBSERVED: boxes of single-serve cups and lids found on office floor, not elevated	NON-CRITICAL
		OBSERVED: the following soiled items need detailed cleaning of walk in cooler lower walls, hood and floor underneath, and kitchen ceiling fan	NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

OBSERVED: chicken strips and patties, egg rolls below required 135 F during service on steam table, no written procedures for using time as a control present NON-CRITICAL

BECKY'S CUPCAKES & MORE**1406 MISSOURI BLVD STE C****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE

06/08/16

INSPECTION

0

No Violations Cited

WEST MAIN PIZZA**1931 W MAIN ST STE B****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE

06/09/16

INSPECTION

OBSERVED: Vents on the back of oven have dust accumulation.

NON-CRITICAL

REVEL CATERING MOBILE UNIT**102 E HIGH ST STE 200****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE

06/01/16

INSPECTION

0

No Violations Cited

SAM'S CLUB #6505-CAFE**849 STONERIDGE PKWY****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE

06/02/16

INSPECTION

0

No Violations Cited

AMERICA'S BEST VALUE INN**1624 JEFFERSON ST****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE

06/08/16

INSPECTION

OBSERVED: monitoring thermometers not present in refrigerators.

NON-CRITICAL

OBSERVED: wood front on 3-compartment sink not sealed or

NON-CRITICAL

painted.

Description

Status

FOLLOW-UP

Occurred

INSPECTION

06/21/16

0

No Violations Cited

CITY OF JEFFERSON
Food Establishment Inspection Report
Listing of Violations by Facility ID and Activity Date

Facility Name & Address

HOOK'S DOUBLE PLAY
512 ELLIS BLVD STE R
JEFFERSON CITY, MO 65101

ROUTINE
INSPECTION

Occurred

06/14/16

Description

Description

Status

OBSERVED: GE line freezer is running above 10 F NON-CRITICAL
OBSERVED: customer drinking ice being used to cool cut lemons for NON-CRITICAL
drinks in servers ice bin
OBSERVED: employee observed bare hand preparation of cut/ torn CRITICAL
lettuce, no gloves
OBSERVED: on site processed hard boiled eggs at bar without CRITICAL
refrigeration
OBSERVED: both bar and kitchen doing wash-sanitize-rinse or dry NON-CRITICAL
instead of proper wash-rinse-sanitize-air dry of glasses and utensils
OBSERVED: home canned green beans being used in the bar for use CRITICAL
in Bloody Marys

Description

Status

Occurred

06/21/16

FOLLOW-UP
INSPECTION

OBSERVED: keg cooler running slightly above 41 F NON-CRITICAL
OBSERVED: GE line freezer running slightly above 10 F
technician is coming out soon to adjust